

Результаты контрольных замеров электрических параметров режимов работы
объектов электро-сетевого оборудования

№ п/п	ТП	Стр, кВА	22.06.2021г.	Загрузки	22.12.2021г.	Загрузки
			I _{ср} , А	%	I _{ср} , А	%
1	РП-1 Т1	400	86.1	14.8	125	21.6
2	РП-1 Т2	630	55.2	6.1	180	19.8
3	РП-3 Т1	630	102.9	11.3	114	12.5
4	РП-3 Т2	630	93.7	10.3	116	12.7
5	РП-4 Т1	400	51.0	8.8	130	22.4
6	РП-4 Т2	400	145.0	25.0	215	37.1
7	ТП-1 Т1	400	71.3	12.3	106	18.3
8	ТП-1 Т2	400	14.8	2.5	26	4.5
9	ТП-2	250	126.7	35.2	158	43.9
10	ТП-3 Т1	250	66.0	18.3	105	29.2
11	ТП-3 Т2	315	86.1	18.6	110	23.8
12	ТП-4	315	115.1	24.9	128	27.6
13	ТП-5 Т1	250	92.7	25.8	72	20.0
14	ТП-5 Т2	250	110.0	30.6	106	29.4
15	ТП-6	250	86.1	23.9	109	30.3
16	ТП-7	630	9.8	1.1	7	0.8
17	ТП-8	250	45.9	12.7	88	24.4
18	ТП-9	400	105.3	18.2	78	13.4
19	ТП-10	250	97.0	27.0	147	40.8
20	ТП-11	100	7.1	4.9	18	12.4
21	ТП-13	63	7.0	7.7	13	14.3
22	ТП-15	160	44.0	19.0	80	34.6
23	ТП-16	160	2.0	0.9	5	2.2
24	ТП-18	250	36.4	10.1	52	14.4
25	ТП-19	250	33.7	9.4	16	4.4
26	ТП-21	250	40.2	11.2	63	17.5
27	ТП-22	250	62.0	17.2	110	30.6
28	ТП-23	100	38.9	26.8	80	55.2
29	ТП-24 Т1	400	148.3	25.6	154	26.6
30	ТП-24 Т2	630	80.5	8.8	84	9.2
31	ТП-25	250	64.0	17.8	157	43.6
32	ТП-26	160	41.1	17.8	49	21.2
33	ТП-27	160	38.2	16.5	51	22.1
34	ТП-28	400	69.8	12.0	86	14.8
35	ТП-29	250	28.9	8.0	62	17.2
36	ТП-30 Т1	160	10.8	4.7	12	5.2
37	ТП-30 Т2	250	79.9	22.2	57	15.8
38	ТП-31	630	112.0	12.3	131	14.4
39	ТП-32	160	67.8	29.4	108	46.8
40	ТП-33	400	70.6	12.2	196	33.8
41	ТП-34	400	123.4	21.3	146	25.2
42	ТП-35	160	47.7	20.6	92	39.8
43	ТП-36	250	60.6	16.8	133	36.9
44	ТП-39	160	87.3	37.8	112	48.5
45	ТП-40	250	98.0	27.2	125	34.7

46	ТП-41 Т1	400	22.5	3.9	54	9.3
47	ТП-41 Т2	630	47.5	5.2	56	6.2
48	ТП-42 Т1	400	7.0	1.2	30	5.2
49	ТП-42 Т2	320	21.0	4.5	125	27.0
50	ТП-43 Т1	100	12.0	8.3	21	14.5
51	ТП-43 Т2	160	0.0	0.0	0	0.0
52	ТП-44 Т1	400	1.8	0.3	18	3.1
53	ТП-44 Т2	400	0.3	0.1	0	0.0
54	ТП-45	100	35.4	24.4	48	33.1
55	ТП-46	250	30.1	8.4	74	20.6
56	ТП-47	250	55.7	15.5	107	29.7
57	ТП-48	160	16.0	6.9	29	12.6
58	ТП-49	250	18.4	5.1	53	14.7
59	ТП-50	400	85.3	14.7	116	20.0
60	ТП-51 Т1	250	93.8	26.1	106	29.4
61	ТП-51 Т2	400	19.4	3.4	25	4.3
62	ТП-52	250	30.1	8.4	70	19.4
63	ТП-53	400	0.0	0.0	0	0.0
64	ТП-54	160	20.2	8.7	58	25.1
65	ТП-55 Т1	630	53.0	5.8	120	13.2
66	ТП-55 Т2	400	54.0	9.3	125	21.6
67	ТП-56	400	35.4	6.1	37	6.4
68	ТП-57 Т1	250	5.6	1.5	11	3.1
69	ТП-57 Т2	250	6.1	1.7	21	5.8
70	ТП-59	400	113.9	19.6	184	31.7
71	ТП-60	250	55.9	15.5	98	27.2
72	ТП-61 Т1	400	15.1	2.6	5	0.9
73	ТП-61 Т2	400	21.9	3.8	21	3.6
74	ТП-62	400	82.0	14.1	143	24.7
75	ТП-63	160	46.7	20.2	83	35.9
76	ТП-64 Т1	250	54.7	15.2	96	26.7
77	ТП-64 Т2	400	50.1	8.6	70	12.1
78	ТП-65	400	64.3	11.1	116	20.0
79	ТП-66	400	13.0	2.2	20	3.4
80	ТП-67	250	36.1	10.0	178	49.4
81	ТП-68	400	65.3	11.3	140	24.1
82	ТП-70	400	20.3	3.5	44	7.6
83	ТП-71 Т1	400	50.4	8.7	32	5.5
84	ТП-71 Т2	400	108.1	18.6	119	20.5
85	ТП-73 Т1	160	21.6	9.4	88	38.1
86	ТП-73 Т2	250	18.0	5.0	30	8.3
87	ТП-74 Т1	630	65.0	7.1	110	12.1
88	ТП-74 Т2	400	71.0	12.2	115	19.8
89	ТП-75 Т1	250	42.1	11.7	53	14.7
90	ТП-75 Т2	250	34.0	9.4	38	10.6
91	ТП-76	160	35.3	15.3	71	30.7
92	ТП-77	400	137.0	23.6	80	13.8
93	ТП-78	250	23.6	6.6	17	4.7
94	ТП-79 Т1	315	175.0	37.8	210	45.4
95	ТП-79 Т2	400	112.0	19.3	150	25.9

96	ТП-80 Т1	250	105.5	29.3	116	32.2
97	ТП-80 Т2	250	59.5	16.5	83	23.1
98	ТП-81 Т1	250	104.9	29.1	129	35.8
99	ТП-81 Т2	250	6.5	1.8	54	15.0
100	ТП-82 Т1	400	171.2	29.5	163	28.1
101	ТП-82 Т2	400	69.7	12.0	95	16.4
102	ТП-83 Т1	250	117.2	32.5	135	37.5
103	ТП-83 Т2	200	59.3	20.5	144	49.8
104	ТП-84	250	78.4	21.8	109	30.3
105	ТП-85	400	113.2	19.5	163	28.1
106	ТП-87	250	82.8	23.0	107	29.7
107	ТП-88	160	11.3	4.9	15	6.5
108	ТП-89 Т1	250	23.0	6.4	0	0.0
109	ТП-89 Т2	400	78.6	13.6	140	24.1
110	ТП-90	180	10.0	3.8	17	6.5
111	ТП-91	160	57.0	24.7	110	47.6
112	ТП-92	250	88.2	24.5	158	43.9
113	ТП-93	250	87.4	24.3	112	31.1
114	ТП-94	250	97.5	27.1	112	31.1
115	ТП-95	250	83.5	23.2	126	35.0
116	ТП-97	100	33.1	22.8	70	48.3
117	ТП-99	160	18.2	7.9	23	10.0
118	ТП-100	250	21.9	6.1	70	19.4
119	ТП-101 Т1	250	0.0	0.0	0	0.0
120	ТП-101 Т2	250	32.6	9.1	40	11.1
121	ТП-102	100	21.4	14.8	56	38.6
122	ТП-106	160	57.4	24.8	67	29.0
123	ТП-107 Т1	250	45.6	12.7	112	31.1
124	ТП-107 Т2	400	31.0	5.3	57	9.8
125	ТП-108 Т1	250	66.3	18.4	40	11.1
126	ТП-108 Т2	250	54.3	15.1	126	35.0
127	ТП-109	100	2.5	1.7	12	8.3
128	ТП-110	400	112.8	19.4	190	32.8
129	ТП-111	315	103.3	22.3	137	29.6
130	ТП-112	250	33.3	9.3	69	19.2
131	ТП-113	160	25.0	10.8	60	26.0
132	ТП-114	250	14.6	4.1	34	9.4
133	ТП-116	250	22.4	6.2	66	18.3
134	ТП-117	400	4.8	0.8	12	2.1
135	ТП-118	160	32.1	13.9	66	28.6
136	ТП-119 Т1	630	153.0	16.8	107	11.8
137	ТП-119 Т2	630	17.1	1.9	66	7.3
138	ТП-122	400	19.0	3.3	55	9.5
139	ТП-123 Т1	630	0.0	0.0	21	2.3
140	ТП-123 Т2	1000	15.0	1.6	85	9.3
141	ТП-124	250	3.2	0.9	20	5.6
142	ТП-125	250	16.9	4.7	33	9.2
143	ТП-126	250	48.9	13.6	72	20.0
144	ТП-127	250	13.8	3.8	28	7.8
145	ТП-130	250	47.7	13.2	102	28.3

146	ТП-131	400	36.6	6.3	79	13.6
147	ТП-132 Т1	315	29.9	6.5	38	8.2
148	ТП-132 Т2	400	0.1	0.0	0	0.0
149	ТП-133	250	34.4	9.6	79	21.9
150	ТП-134	160	68.4	29.6	108	46.8
151	ТП-136	100	40.3	27.8	57	39.3
152	ТП-138	160	54.0	23.4	116	50.2
153	ТП-139	250	27.1	7.5	54	15.0
154	ТП-140	250	47.4	13.2	102	28.3
155	ТП-142	40	1.0	1.7	3	5.2
156	ТП-144	250	22.3	6.2	33	9.2
157	ТП-145	100	33.2	22.9	12	8.3
158	ТП-146	100	29.2	20.1	49	33.8
159	ТП-149	160	0.8	0.4	6	2.6
160	ТП-150 Т1	250	114.7	31.9	121	33.6
161	ТП-150 Т2	160	48.0	20.8	59	25.5
162	ТП-151	100	49.9	34.4	96	66.2
163	ТП-152	100	17.4	12.0	46	31.7
164	ТП-153	160	24.2	10.5	57	24.7
165	ТП-154	160	46.5	20.1	63	27.3
166	ТП-155 Т1	250	72.0	20.0	105	29.2
167	ТП-155 Т2	250	51.4	14.3	85	23.6
168	ТП-156	160	15.8	6.8	49	21.2
169	ТП-157	200	50.8	17.6	91	31.5
170	ТП-158	100	0.0	0.0	0	0.0
171	ТП-159	160	27.4	11.9	80	34.6
172	ТП-160	250	34.9	9.7	85	23.6
173	ТП-161	160	32.1	13.9	66	28.6
174	ТП-162	250	80.2	22.3	92	25.6
175	ТП-01049	160	25.7	11.1	65	28.1
176	ТП-168	400	29.8	5.1	41	7.1
177	ТП-169 Т1	400	79.0	13.6	110	19.0
178	ТП-169 Т2	400	121.0	20.9	210	36.2
179	ТП-170	250	42.2	11.7	78	21.7
180	ТП-171	250	71.4	19.8	99	27.5
181	ТП-174	400	48.3	8.3	337	58.1
182	ТП-175	250	24.4	6.8	42	11.7
183	ТП-176	250	31.0	8.6	235	65.3
184	ТП-177	250	13.7	3.8	175	48.6
185	ТП-178	250	33.2	9.2	65	18.1
186	ТП-179	100	25.3	17.5	24	16.6
187	ТП-183	63	2.0	2.2	3	3.3
188	ТП-0480(ТП-192)	160	7.8	3.4	22	9.5
189	ТП-193	160	20.3	8.8	74	32.0
190	ТП-194	250	17.7	4.9	72	20.0
191	ТП-195	160	4.0	1.7	17	7.4
192	ТП-197	250	3.8	1.1	12	3.3
193	ТП-201	63	0.0	0.0	0	0.0
194	ТП-202	400	6.6	1.1	43	7.4
195	ТП-203	400	3.9	0.7	44	7.6

196	ТП-204	400	2.5	0.4	20	3.4
197	ТП-205	160	2.3	1.0	30	13.0
198	ТП-207	160	0.0	0.0	0	0.0
199	ТП-208	160	0.0	0.0	0	0.0
200	ТП-209	160	1.7	0.8	10	4.3
201	ТП-210	160	0.0	0.0	0	0.0
202	ТП-212	160	0.0	0.0	1	0.4
203	ТП-213	250	13.0	3.6	21	5.8
204	ТП-214	100	13.0	9.0	30	20.7
205	ТП-215 Т1	160	0.0	0.0	0	0.0
206	ТП-215 Т2	160	5.7	2.5	8	3.5
207	ТП-216	250	5.0	1.4	10	2.8
208	ТП-217	250	22.1	6.1	83	23.1
209	ТП-218(01230)	400	71.0	12.2	15	2.6
210	ТП-219(0370)	560	0.0	0.0	0	0.0
211	ТП-220	400	7.4	1.3	18	3.1
212	ТП-221(01148)	400	11.0	1.9	20	3.4
213	ТП-222	400	11.6	2.0	16	2.8
214	ТП-223	100	2.8	1.9	9	6.2
215	ТП-224(0334)	160	8.0	3.5	24	10.4
216	ТП-01249(ТП-225)	400	20.0	3.4	22	3.8
217	ТП-226	63	13.0	14.3	12	13.2
218	ТП-227	160	0.2	0.1	11	4.8
219	ТП-228	100	0.2	0.2	2	1.4
220	ТП-229	160	1.0	0.5	11	4.8
221	ТП-230	100	15.0	10.4	26	17.9
222	ТП-231	63	4.0	4.4	7	7.7
223	ТП-232(01176)	250	0.0	0.0	20	5.6
224	ТП-233	160	6.4	2.8	18	7.8
225	ТП-234(0291)	25	0.0	0.0	0	0.0
226	ТП-235	160	10.8	4.7	16	6.9
227	ТП-236	160	1.7	0.7	11	4.8
228	ТП-237	100	2.0	1.3	6	4.1
229	ТП-238	250	0.0	0.0	11	3.1
230	ТП-239	250	3.4	0.9	3	0.8
231	ТП-240(0582)	160	3.1	1.4	10	4.3
232	ТП-241	100	1.2	0.8	3	2.1
233	ТП-242	160	0.4	0.2	3	1.3
234	ТП-243	250	20.6	5.7	36	10.0
235	ТП-244	100	0.0	0.0	0	0.0
236	ТП-245	250	9.3	2.6	20	5.6
237	ТП-246	250	37.8	10.5	45	12.5
238	ТП-247	100	1.1	0.7	5	3.4
239	ТП-248	250	0.0	0.0	0	0.0
240	ТП-249(0667)	100	8.1	5.6	32	22.1
241	ТП-250	160	49.3	21.3	46	19.9
242	ТП-251	160	21.0	9.1	35	15.2
243	ТП-252	100	1.2	0.9	10	6.9
244	ТП-253	160	29.8	12.9	28	12.1
245	ТП-255	100	25.0	17.2	35	24.1

246	ТП-256	100	0.0	0.0	0	0.0
247	ТП-257(0996)	100	3.5	2.4	22	15.2
248	ТП-258	250	43.8	12.2	65	18.1
249	ТП-259 Т1	630			22	2.4
250	ТП-259 Т2	630			1	0.1
251	ТП-260	160	0.0	0.0	0	0.0
252	ТП-261	160	0.0	0.0	0	0.0
253	ТП-262	100			7	4.8
254	ТП-601	400	30.2	5.2	212	36.6
255	ТП-602	250	10.9	3.0	158	43.9
256	ТП-603	400	10.7	1.8	133	22.9
257	ТП-604	250	0.0	0.0	30	8.3
258	ТП-610	400	15.0	2.6	368	63.4
259	ТП-611	400	19.5	3.4	399	68.8
260	ТП-612	400			163	28.1
261	ТП-613	400			429	74.0
262	ТП-614	400			266	45.9
263	ТП-615	400			268	46.2
264	ТП-620	160	0.0	0.0	0	0.0
265	ТП-626	400			412	71.0
266	ТП-629	400			457	78.8
267	ТП-630	400	18.3	7.9	373	64.3
268	ТП-631	400			280	48.3
269	ТП-632	250			20	5.6
270	ТП-640	400			193	33.3
271	ТП-642	400			115	19.8
272	ТП-644	250			121	33.6
273	ТП-645	400			279	48.1
274	ТП-650	400	20.5	5.7	394	67.9
275	ТП-651	400			488	84.1
276	ТП-652	400			314	54.1
277	ТП-653	400			455	78.4
278	ТП-654	400			409	70.5
279	ТП-655	400			404	69.7
280	ТП-656	400			412	71.0
281	ТП-660	400			180	31.0
282	ТП-661	400			359	61.9
283	ТП-902	160	0.0	0.0	0	0.0
284	ТП-903	160	22.6	9.8	4	1.7
285	ТП-904	400	67.2	11.6	86	14.8
286	ТП-905	400	120.9	20.8	187	32.2
287	ТП-906	400	0.0	0.0	0	0.0
288	ТП-21102	400	111.3	19.2	10	1.7
289	ТП-21103	160	11.9	5.1	0	0.0