

Результаты контрольных замеров электрических параметров режимов работы
объектов электро-сетевого оборудования

№ п/п	ТП	Стр, кВА	22.06.2022г.	Загрузки,	22.12.2022г.	Загрузки,
			I _{ср} , А	%	I _{ср} , А	%
1	РП-1 Т1	400	125.0	21.6	153	26.4
2	РП-1 Т2	630	140.0	15.4	201	22.1
3	РП-3 Т1	630	94.0	10.3	91	10.0
4	РП-3 Т2	630	111.0	12.2	120	13.2
5	РП-4 Т1	400	120.0	20.7	125	21.6
6	РП-4 Т2	400	250.0	43.1	256	44.1
7	ТП-1 Т1	400	102.7	17.7	98	16.9
8	ТП-1 Т2	400	22.4	3.9	26	4.5
9	ТП-2	250	138.0	38.3	165	45.8
10	ТП-3 Т1	250	80.7	22.4	95	26.4
11	ТП-3 Т2	315	91.0	19.7	113	24.4
12	ТП-4	315	123.7	26.7	124	26.8
13	ТП-5 Т1	250	90.8	25.2	103	28.6
14	ТП-5 Т2	250	99.3	27.6	112	31.1
15	ТП-6	250	89.4	24.8	134	37.2
16	ТП-7	630	15.1	1.7	50	5.5
17	ТП-8	250	49.6	13.8	94	26.1
18	ТП-9	400	100.4	17.3	132	22.8
19	ТП-10	250	94.8	26.3	149	41.4
20	ТП-11	100	8.6	6.0	23	15.9
21	ТП-13	63	8.3	9.2	14	15.4
22	ТП-15	160	51.0	22.1	78	33.8
23	ТП-16	160	2.0	0.9	5	2.2
24	ТП-18	250	21.2	5.9	53	14.7
25	ТП-19	250	16.8	4.7	35	9.7
26	ТП-21	250	52.0	14.4	115	31.9
27	ТП-22	250	69.9	19.4	120	33.3
28	ТП-23	100	39.4	27.2	86	59.3
29	ТП-24 Т1	400	166.0	28.6	165	28.4
30	ТП-24 Т2	630	85.2	9.4	99	10.9
31	ТП-25	250	48.0	13.3	179	49.7
32	ТП-26	160	42.4	18.4	54	23.4
33	ТП-27	160	47.5	20.6	51	22.1
34	ТП-28	400	55.5	9.6	95	16.4
35	ТП-29	250	32.5	9.0	84	23.3
36	ТП-30 Т1	160	48.9	21.2	13	5.6
37	ТП-30 Т2	250	10.1	2.8	58	16.1
38	ТП-31	630	112.7	12.4	164	18.0
39	ТП-32	160	61.0	26.4	132	57.1
40	ТП-33	400	63.7	11.0	219	37.8
41	ТП-34	400	103.9	17.9	165	28.4
42	ТП-35	160	44.3	19.2	115	49.8
43	ТП-36	250	71.4	19.8	127	35.3
44	ТП-39	160	93.4	40.4	142	61.5
45	ТП-40	250	101.0	28.1	193	53.6

46	ТП-41 Т1	400	22.5	3.9	52	9.0
47	ТП-41 Т2	630	50.4	5.5	83	9.1
48	ТП-42 Т1	400	2.6	0.5	39	6.7
49	ТП-42 Т2	320	21.7	4.7	129	27.9
50	ТП-43 Т1	100	0.0	0.0	0	0.0
51	ТП-43 Т2	160	5.0	2.2	12	5.2
52	ТП-44 Т1	400	42.0	7.2	30	5.2
53	ТП-44 Т2	400	0.0	0.0	1	0.2
54	ТП-45	100	32.5	22.4	43	29.7
55	ТП-46	250	27.9	7.7	82	22.8
56	ТП-47	250	59.4	16.5	127	35.3
57	ТП-48	160	16.3	7.0	49	21.2
58	ТП-49	250	21.4	5.9	71	19.7
59	ТП-50	400	90.1	15.5	119	20.5
60	ТП-51 Т1	250	103.6	28.8	114	31.7
61	ТП-51 Т2	400	11.8	2.0	18	3.1
62	ТП-52	400	26.8	4.6	70	12.1
63	ТП-53	400	0.0	0.0	0	0.0
64	ТП-54	160	26.0	11.3	80	34.6
65	ТП-55 Т1	630	77.0	8.5	122	13.4
66	ТП-55 Т2	400	82.0	14.1	118	20.3
67	ТП-56	400	38.1	6.6	57	9.8
68	ТП-57 Т1	250	6.0	1.7	15	4.2
69	ТП-57 Т2	250	7.0	1.9	18	5.0
70	ТП-59	400	108.7	18.7	206	35.5
71	ТП-60	250	57.6	16.0	100	27.8
72	ТП-61 Т1	400	4.5	0.8	33	5.7
73	ТП-61 Т2	400	15.4	2.7	51	8.8
74	ТП-62	400	86.8	15.0	151	26.0
75	ТП-63	160	50.5	21.9	106	45.9
76	ТП-64 Т1	250	79.5	22.1	62	17.2
77	ТП-64 Т2	400	47.1	8.1	44	7.6
78	ТП-65	400	68.0	11.7	122	21.0
79	ТП-66	400	15.0	2.6	22	3.8
80	ТП-67	250	34.7	9.6	224	62.2
81	ТП-68	400	59.9	10.3	158	27.2
82	ТП-70	400	24.0	4.1	61	10.5
83	ТП-71 Т1	400	19.5	3.4	28	4.8
84	ТП-71 Т2	400	112.4	19.4	169	29.1
85	ТП-73 Т1	160	24.0	10.4	69	29.9
86	ТП-73 Т2	250	15.8	4.4	34	9.4
87	ТП-74 Т1	630	75.0	8.2	91	10.0
88	ТП-74 Т2	400	81.0	14.0	78	13.4
89	ТП-75 Т1	250	48.1	13.4	85	23.6
90	ТП-75 Т2	250	45.8	12.7	56	15.6
91	ТП-76	160	26.8	11.6	80	34.6
92	ТП-77	400	27.4	4.7	81	14.0
93	ТП-78	250	15.6	4.3	30	8.3
94	ТП-79 Т1	315	180.0	38.9	261	56.4
95	ТП-79 Т2	400	120.0	20.7	155	26.7

96	ТП-80 Т1	250	109.4	30.4	124	34.4
97	ТП-80 Т2	250	61.4	17.1	80	22.2
98	ТП-81 Т1	250	114.4	31.8	128	35.6
99	ТП-81 Т2	250	6.5	1.8	47	13.1
100	ТП-82 Т1	400	166.6	28.7	159	27.4
101	ТП-82 Т2	400	69.4	12.0	89	15.3
102	ТП-83 Т1	250	61.2	17.0	108	30.0
103	ТП-83 Т2	200	118.6	41.0	143	49.5
104	ТП-84	250	84.7	23.5	123	34.2
105	ТП-85	400	85.4	14.7	141	24.3
106	ТП-87	250	94.7	26.3	116	32.2
107	ТП-88	160	11.5	5.0	15	6.5
108	ТП-89 Т1	250	93.1	25.8	52	14.4
109	ТП-89 Т2	400	30.0	5.2	100	17.2
110	ТП-90	180	10.2	3.9	22	8.4
111	ТП-91	160	60.0	26.0	71	30.7
112	ТП-92	250	100.3	27.8	147	40.8
113	ТП-93	250	91.5	25.4	118	32.8
114	ТП-94	250	100.9	28.0	121	33.6
115	ТП-95	250	71.5	19.9	122	33.9
116	ТП-97	100	31.0	21.4	39	26.9
117	ТП-99	160	12.1	5.2	24	10.4
118	ТП-100	250	30.0	8.3	80	22.2
119	ТП-101 Т1	250	0.0	0.0	0	0.0
120	ТП-101 Т2	250	67.0	18.6	51	14.2
121	ТП-102	100	20.9	14.4	68	46.9
122	ТП-106	160	47.6	20.6	85	36.8
123	ТП-107 Т1	250	53.0	14.7	65	18.1
124	ТП-107 Т2	400	29.5	5.1	110	19.0
125	ТП-108 Т1	250	98.0	27.2	184	51.1
126	ТП-108 Т2	250	0.0	0.0	0	0.0
127	ТП-109	100	3.0	2.1	17	11.7
128	ТП-110	400	120.0	20.7	155	26.7
129	ТП-111	315	93.1	20.1	133	28.7
130	ТП-112	250	36.5	10.1	106	29.4
131	ТП-113	160	25.0	10.8	33	14.3
132	ТП-114	250	14.9	4.1	39	10.8
133	ТП-116	250	29.1	8.1	41	11.4
134	ТП-117	400	5.5	0.9	15	2.6
135	ТП-118	160	36.2	15.7	74	32.0
136	ТП-119 Т1	630	106.0	11.6	132	14.5
137	ТП-119 Т2	630	93.3	10.3	148	16.3
138	ТП-122	400	21.0	3.6	35	6.0
139	ТП-123 Т1	630	5.0	0.5	22	2.4
140	ТП-123 Т2	1000	16.0	1.8	105	11.5
141	ТП-124	250	2.5	0.7	10	2.8
142	ТП-125	250	66.4	18.4	93	25.8
143	ТП-126	250	47.2	13.1	62	17.2
144	ТП-127	250	15.3	4.2	36	10.0
145	ТП-130	250	55.9	15.5	101	28.1

146	ТП-131	400	29.5	5.1	94	16.2
147	ТП-132 Т1	315	30.4	6.6	35	7.6
148	ТП-132 Т2	400	0.0	0.0	0	0.0
149	ТП-133	250	37.8	10.5	73	20.3
150	ТП-134	160	69.8	30.2	120	51.9
151	ТП-136	100	44.8	30.9	54	37.2
152	ТП-138	160	48.5	21.0	102	44.2
153	ТП-139	250	29.2	8.1	44	12.2
154	ТП-140	250	54.8	15.2	110	30.6
155	ТП-142	40	2.0	3.4	6	10.3
156	ТП-144	250	17.5	4.9	39	10.8
157	ТП-145	100	34.1	23.5	36	24.8
158	ТП-146	100	26.9	18.5	56	38.6
159	ТП-149	160	0.7	0.3	5	2.2
160	ТП-150 Т1	250	120.0	33.3	64	17.8
161	ТП-150 Т2	160	51.0	22.1	138	59.7
162	ТП-151	100	53.0	36.6	106	73.1
163	ТП-152	100	18.5	12.8	45	31.0
164	ТП-153	160	25.4	11.0	66	28.6
165	ТП-154	160	49.2	21.3	71	30.7
166	ТП-155 Т1	250	79.1	22.0	106	29.4
167	ТП-155 Т2	250	49.4	13.7	112	31.1
168	ТП-156	160	15.8	6.9	56	24.2
169	ТП-157	200	45.2	15.7	91	31.5
170	ТП-158	100	12.0	8.3	0	0.0
171	ТП-159	160	31.3	13.5	81	35.1
172	ТП-160	250	35.0	9.7	65	18.1
173	ТП-161	160	34.3	14.8	69	29.9
174	ТП-162	250	76.3	21.2	73	20.3
175	ТП-01049	160	29.1	12.6	97	42.0
176	ТП-168	400	31.0	5.3	49	8.4
177	ТП-169 Т1	400	88.0	15.2	144	24.8
178	ТП-169 Т2	400	132.0	22.8	161	27.8
179	ТП-170	250	41.6	11.6	43	11.9
180	ТП-171	250	72.7	20.2	107	29.7
181	ТП-174	400	32.2	5.6	102	17.6
182	ТП-175	250	25.1	7.0	46	12.8
183	ТП-176	250	31.0	8.6	98	27.2
184	ТП-177	250	32.9	9.1	141	39.2
185	ТП-178	250	40.2	11.2	61	16.9
186	ТП-179	100	27.6	19.1	8	5.5
187	ТП-183	250	2.0	0.6	12	3.3
188	ТП-0480(ТП-192)	160	8.8	3.8	27	11.7
189	ТП-193	160	23.9	10.3	76	32.9
190	ТП-194	250	21.0	5.8	93	25.8
191	ТП-195	160	6.3	2.7	15	6.5
192	ТП-197	250	3.6	1.0	16	4.4
193	ТП-201	63	0.1	0.1	0	0.0
194	ТП-202	400	8.4	1.4	43	7.4
195	ТП-203	400	6.5	1.1	35	6.0

196	ТП-204	400	4.2	0.7	18	3.1
197	ТП-205	160	8.2	3.5	23	10.0
198	ТП-207	160	1.0	0.4	6	2.6
199	ТП-208	160	0.0	0.0	0	0.0
200	ТП-209	160	1.8	0.8	5	2.2
201	ТП-210	160	1.0	0.4	13	5.6
202	ТП-212	160	0.0	0.0	0	0.0
203	ТП-213	250	15.8	4.4	31	8.6
204	ТП-214	100	15.0	10.3	11	7.6
205	ТП-215 Т1	160	0.0	0.0	0	0.0
206	ТП-215 Т2	160	5.1	2.2	9	3.9
207	ТП-216	250	5.0	1.4	24	6.7
208	ТП-217	250	21.4	5.9	94	26.1
209	ТП-218(01230)	400	81.0	14.0	35	6.0
210	ТП-219(0370)	560	0.0	0.0	1	0.1
211	ТП-220	400	11.8	2.0	30	5.2
212	ТП-221(01148)	400	5.0	0.9	11	1.9
213	ТП-222	400	14.8	2.6	21	3.6
214	ТП-223	100	3.6	2.5	19	13.1
215	ТП-224(0334)	160	8.0	3.5	27	11.7
216	ТП-01249(ТП-225)	400	0.0	0.0	29	5.0
217	ТП-226	63	6.1	6.7	29	31.9
218	ТП-227	160	0.7	0.3	13	5.6
219	ТП-228	100	0.2	0.1	2	1.4
220	ТП-229	160	0.7	0.3	16	6.9
221	ТП-230	100	0.0	0.0	24	16.6
222	ТП-231	63	4.8	5.3	10	11.0
223	ТП-232(01176)	250	0.0	0.0	0	0.0
224	ТП-233	250	6.9	1.9	34	9.4
225	ТП-234(0291)	25	0.0	0.0	0	0.0
226	ТП-235	160	11.5	5.0	24	10.4
227	ТП-236	160	2.5	1.1	14	6.1
228	ТП-237	100	3.4	2.3	8	5.5
229	ТП-238	250	0.0	0.0	0	0.0
230	ТП-239	250	0.9	0.3	21	5.8
231	ТП-240(0582)	160	4.3	1.9	11	4.8
232	ТП-241	100	1.0	0.7	7	4.8
233	ТП-242	160	0.4	0.2	4	1.7
234	ТП-243	250	45.9	12.8	24	6.7
235	ТП-244	100	1.0	0.7	18	12.4
236	ТП-245	250	10.4	2.9	22	6.1
237	ТП-246	250	35.1	9.8	50	13.9
238	ТП-247	100	1.1	0.7	10	6.9
239	ТП-248	250	0.0	0.0	11	3.1
240	ТП-249(0667)	100	10.6	7.3	43	29.7
241	ТП-250	160	38.9	16.8	42	18.2
242	ТП-251	160	22.0	9.5	38	16.5
243	ТП-252	100	0.9	0.6	16	11.0
244	ТП-253	160	29.3	12.7	47	20.3
245	ТП-255	100	31.0	21.4	51	35.2

246	ТП-256	100	0.0	0.0	1	0.7
247	ТП-257(0996)	100	4.0	2.7	21	14.5
248	ТП-258	250	43.7	12.1	116	32.2
249	ТП-259 Т1	630	11.0	1.2	27	3.0
250	ТП-259 Т2	630	8.0	0.9	14	1.5
251	ТП-260	160	12.0	5.2	33	14.3
252	ТП-261	160	0.0	0.0	0	0.0
253	ТП-262	100	3.0	2.1	7	4.8
254	ТП-263	400			21	14.5
255	ТП-601	400	81.0	14.0	256	44.1
256	ТП-602	250	52.0	14.4	127	35.3
257	ТП-603	400	30.0	5.2	114	19.6
258	ТП-604	250	0.0	0.0	111	30.7
259	ТП-610	400	59.0	10.2	415	71.5
260	ТП-611	400	83.0	14.3	338	58.2
261	ТП-612	400	49.0	8.4	502	86.5
262	ТП-613	400	28.0	4.8	319	55.0
263	ТП-614	400	51.0	8.8	425	73.2
264	ТП-615	400	42.0	7.2	439	75.6
265	ТП-616	400			446	76.9
266	ТП-617	400	20.0	3.4	292	50.3
267	ТП-620	160	11.0	4.8	95	41.1
268	ТП-621	1000			895	62.2
269	ТП-623	400	12.0	2.1	358	61.6
270	ТП-624	400			294	50.7
271	ТП-625	400			447	77.1
272	ТП-626	400	108.0	18.6	475	81.9
273	ТП-627	630	63.0	10.9	550	60.4
274	ТП-628	400			350	38.5
275	ТП-629	400	51.0	8.8	459	79.2
276	ТП-630	400	40.0	6.9	377	65.0
277	ТП-631	400	81.0	14.0	411	70.8
278	ТП-632	250	4.0	1.1	96	26.8
279	ТП-633	400			236	40.7
280	ТП-634	400			296	51.0
281	ТП-640	400	36.0	6.2	247	42.7
282	ТП-641	400			374	64.5
283	ТП-642	400	48.0	8.3	419	72.2
284	ТП-644	250	6.0	1.7	161	44.6
285	ТП-645	400	86.0	14.8	436	75.1
286	ТП-650	400	51.0	8.8	420	72.5
287	ТП-651	400	37.0	6.4	450	77.5
288	ТП-652	400	52.0	9.0	299	51.5
289	ТП-653	630	58.0	10.0	642	70.6
290	ТП-655	630	61.0	10.5	466	51.2
291	ТП-656	400	42.0	7.2	387	66.8
292	ТП-660	400	84.0	14.5	330	56.9
293	ТП-661	400	38.0	6.6	380	65.6
294	ТП-662	400	67.0	11.6	332	57.2
295	ТП-664	400			385	66.4

296	ТП-667	400			295	50.9
297	ТП-668	400			442	76.1
298	ТП-669	400			402	69.3
299	ТП-675	400			365	62.9
300	ТП-681	400			420	72.4
301	ТП-684	400			452	78.0
302	ТП-685	400			411	70.8
303	ТП-902	160	0.0	0.0	0	0.0
304	ТП-903	160	0.0	0.0	40	17.3
305	ТП-904	400	71.0	12.2	84	14.5
306	ТП-905	400	233.0	40.2	149	25.7
307	ТП-906	400	0.0	0.0	0	0.0
308	ТП-21102	400	3.0	0.5	27	4.7
309	ТП-21103	160	24.0	10.4	70	30.3